

RELIABLE, ROBUST MOBILE SCANNER



Portable document scanner

The most productive USB-powered scanner in its class, the P-215II is true plug-and-scan for both Mac and Windows users.

Space saving and lightweight

The P-215II is extremely stylish with a sleek black and silver design. Its small footprint makes it easy to place on busy desktops, in drawers or use in the home. Weighing approximately 1 kg it is the perfect accessory for mobile executives to fit into a briefcase or laptop bag.

Plug-and-scan convenience with CaptureOnTouch Lite

The P-215II is extremely simple to use – just connect with a USB cable and start scanning! CaptureOnTouch Lite software is built into the P-215II so there is no need to download additional drivers or software, it's simply plug-and-scan.

P-215II

B&W AND COLOUR
SPEED
15 PPM / 30 IPM

SUGGESTED DAILY
VOLUME
500
SCANS/DAY

AUTOMATIC
DOCUMENT
FEEDER
20 SHEETS

USB-POWERED

YOUR ESSENTIAL PARTNER FOR HIGH-PERFORMANCE SCANNING, ANYWHERE

Fast, USB-powered scanning

The sophisticated imageFORMULA P-215II offers the fastest USB-powered scanning in its class with duplex speeds of up to 30 images per minute, and can be achieved using just a single USB cable connection. Its 20-sheet Automatic Document Feeder enables fast batch scanning, ideal for executives who need to process signed contracts and close deals.

High quality imaging

High quality imaging is made possible through Canon's proven image processing technology that allows for high resolution scanning up to 600dpi. Image clarity can be further enhanced by colour dropout, moire reduction and advanced text enhancement II – perfect to ensure superb scan quality and ideal for creating searchable PDFs.



Easily create new solutions

Software Development Kits for CaptureOnTouch and CaptureOnTouch Lite make it possible to build applications that integrate directly with the P-215II to create new workflow solutions.

Versatile media handling

The P-215II can scan a variety of media ranging from traditional A4 to irregular sized documents and photos. It also features a front facing switch back card slot ideal for scanning plastic ID and embossed cards.



SOFTWARE



CaptureOnTouch

Intuitive capture software that makes it quick and simple to achieve premium quality results. CaptureOnTouch incorporates an icon-based user interface with scanning to multiple file formats including PDF, PDF-A, TIFF, JPEG, BMP, PPTX and PNG. CaptureOnTouch can also send captured information directly to data management systems and cloud-based applications (compatible with both Windows and Mac).

CaptureOnTouch Lite

Offers unique portability and convenience on the move. The software is built into the P-215II allowing for fast and effortless connectivity without the need to install any drivers or application software (compatible with both Windows and Mac).

Cardiris

It's easy to scan the business cards that you have been collecting for ages. The software takes care of extracting and converting the important data from your business cards



TECHNICAL SPECIFICATIONS

Type	Desktop Type Sheet Fed Scanner		
Document Reading Sensor	CMOS CIS 1 Line Sensor		
Optical Resolution	600 dpi		
Light Source	RGB LED		
Reading Side	Simplex / Duplex / Skip blank page / Folio		
Interface	High Speed USB 2.0 (USB 3.0 bus power also supported)		
Dimensions	Tray Closed: 285 (W) x 95 (D) x 40 (H)mm Tray Opened: 285 (W) x 257 (D) x 202 (H)mm		
Weight	Approx. 1.0kg		
Power Requirements	USB 2.0 bus power: 0.5A (1.0A in combination with power supply USB cable) USB 3.0 bus power: 0.9A		
Power Consumption	Scanning: 7.0W (2 x USB 3.0), 4.5W (1 x USB 3.0), 2.5W (1x USB 2.0), 5W (2x USB2.0) Sleep Mode: 1.5W, Power Turned Off: 0.1W		
Operating Environment	10 – 32.5°C (50 – 90.5°F), Humidity: 25 – 80% RH		
Environmental Compliance	RoHS		
READING SPEED ¹ (A4, Portrait)	P-215II		
B&W / Greyscale Colour	200dpi / 300dpi 200 dpi 300dpi	With USB 3.0 15ppm / 30ipm 10ppm / 20ipm 6ppm / 12ipm	USB 2.0 12ppm / 14ipm 10ppm / 10ipm 6ppm / 6ipm
DOCUMENT SPECIFICATIONS			
Width	50.8 mm – 216 mm		
Length	70 mm – 356 mm		
Thickness	52 – 128g/m ² (0.06 mm – 0.15 mm)		
Long Document	Up to 1,000 mm		
Card Scanning	54 x 86 x 0.76 mm (Embossed with less than 1.4mm can be supported)		
Paper Separation	Separation Pad Method		
Feeder Capacity	20 sheets (64g/m ²)		
OUTPUT			
Resolution	150 x 150dpi, 200 x 200dpi, 300 x 300dpi, 400 x 400dpi, 600 x 600dpi		
Mode	Black & White, Error Diffusion, Advanced Text Enhancement II, 8-Bit Greyscale: (256-Level), 24-Bit Colour, Auto Colour Detection		
SPECIAL FEATURES	Automatic Page Size Detection, Deskew, 3-Dimensional Colour Correction, Colour Dropout (RGB), Auto Colour Detection, Shading Correction, Text Enhancement, MultiStream, Preset Gamma Curve, Scan Panel, Prescan, Image Rotation, Skip Blank Page, Select Scanning Document Side, Scan Area Setting, Text Orientation, Continuous Scanning, Edge Enhancement, Moire Reduction, Prevent Bleed Through / Remove Background, Contrast Adjustment, Colour Drift, Background Smoothing, Shadow Cropping (on / off switchable), Trimming, Corrections suitable for Photo Mode, Auto Resolution Setting		
BUNDLED SOFTWARE			
For Windows OS	ISIS / TWAIN Driver CaptureOnTouch ² CaptureOnTouch Lite ² Software plug-in to: Evernote, Google Drive™, SharePoint*, Cardiris, Dropbox and OneDrive		
For Mac OS	TWAIN Driver CaptureOnTouch ² CaptureOnTouch Lite ² Software plug-in to: Evernote, Google Drive™, SharePoint* and Dropbox		
Options	Carry Case		
Consumables Suggested	Separation Pad, Feed Roller		
Daily Duty Cycle	500 scans/day		

Software Developer Kit (SDK)

Software developer kits and tools are available through the Canon Developer Programme To register for the programme:

- Please visit the registration page - <https://developers.canon-europe.com/developers/s/login/SelfRegister>
- If you experience any issues signing up please contact CDP admin at cdp-admin@canon-europe.com

¹ The scanning speed (via USB) depends on the specification of PC / Mac and the setting of functions

² Software Developer Kits are available through the Canon Developer Programme - <https://developers.canon-europe.com/>

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods.™ and ®; All company and / or product names are trademarks and / or registered trademarks of their respective manufacturers in their markets and / or countries.

Visit the Canon website for more information.

